

MAGNATRAC®

Assembled

THE HOMEOWNER

RT 1150

**NEW
MAGNATRAC!**




THE BEST FIT FOR MOST HOMEOWNERS!



Meet the **NEW Breed of Sub-Compact Hydro-Static Power!** The MAGNATRAC® RT1150 is designed to do TOUGH work in compact spaces. The RT1150 will make short work of those homeowner tasks, and save you \$1,000s on contractor bills. Dual integrated zero-turn commercial hydrostatic transaxles, coupled with hydraulic Front and Rear attachments, allow you to accomplish hundreds of back breaking jobs, with only finger tip hydraulic control! Standard contractor grade rubber tracks, make the RT1150 the perfect fit for rural or city homeowners.

No More Clutch Belt Adjustments! The RT1150 is designed for hundreds of hours of hassle free use! Our sub-compact assembled MAGNATRAC®, has been redesigned from the ground up. Combining the power of a HONDA engine, the reliability of a hydrostatic transaxle, and the POWER of a Struck® dozer, gives the RT1150 unparalleled performance! See for yourself the quality and value, built into every MAGNATRAC® RT1150!

- A** The strong chassis is professionally assembled on a custom made fixture. This ensures consistency in the assembly process.
- B** The Honda GX390V engine with electric start, is a perfect fit for the RT1150. Reliability, dependability and fuel efficiency is standard.
- C** Dual transaxle oil expansion tanks assure cool & quiet operation, and are easily accessed.
- D** Heavy-duty #50H Drive chain, transfers Struck® dozer power to the rear drive sprocket, and is easily tensioned.
- E** Mechanical parking brake handle, integrates into both transaxles, allowing safe parking in many directions.
- F** 2.22 US qt. fuel tank is easily accessed by removing 2 lockable knobs. Knobs are easily tightened by hand pressure...No Tools!
- G** Ergonomic drive handles allow simple operation of forward and reverse, allowing you to turn on a dime without shifting any gears!
- H** A power-rated V-Belt made of Kevlar, transfers power from the engine crankshaft to the transaxles. Automatic belt tensioner allows hours of hassle-free adjustments.
- I** Dual commercial hydrostatic transaxles with high efficiency 12cc pumps & 16cc motors are the transmission of choice. They allow for reliable & quiet operation.
- J** Durable, commercial grade 1-1/8" axles allow for heavy loads, and are coupled to a hardened sprocket hub for an extra layer of wearability.
- K** 3/4" thick rear drive sprockets transfer Struck® dozer power to the contractor grade rubber tracks.
- L** Optional 12" wide LED headlight shines brightly, right where you need it! See CU50 Upgrade.
- M** Engine oil drain hose smartly extends forward, allowing for quick & easy oil changes. See CU50 Upgrade.
- N** Battery box with lockable cover, securely holds your 12V "lawn & garden" style battery in place, while also providing the operator a beverage holder, and sturdy grab bar within an easy reach.
- O** Hydraulic attachment control system is easily accessed and includes: pump, tank with breather, filter, oil sight window & attachment valve.



FEATURES & UPGRADES

Hard Working & Efficient

Built for hard work, the Honda GXV390 engine boasts a large capacity, multi-chamber exhaust system, forged steel crankshaft, rigid crankcase helical cut gears, and a sophisticated air intake system. The materials are used to provide years of service with cast iron cylinder sleeve, high quality materials and excellent fit and finish. Large fuel tank, automotive type fuel cap and easily accessible spark plug make it easy to use and maintain.

© HONDA is a registered trademark of Honda Motor Co. Ltd.



Battery Box & Cup Holder

Battery box holds your "lawn & garden" 12V battery away from the elements, while the convenient cup holder keeps your "favorite" beverage within easy reach.



Integrated Throttle-Choke ITC™

The ITC™ is an integrated throttle and choke system, designed with simplicity in mind. One simple lever allows you to start up the unit, and adjust your engine RPMs all in one sturdy Thottle-Choke Lever.



Dual Commercial Transaxles

The ZT-3400® is a mid-sized commercial transmission that performs tough work in tight spaces. We use 2 of them in each RT1150! It starts with a strong, high-efficiency 12cc pump, 16cc motor, and a sturdy 1-1/8" axle shaft. This reliable & quiet drive system, coupled with a hardened rear sprocket hub, pushes Struck® "Dozer Power" down to each track.

© ZT-3400 is a registered trademark of Hydro-Gear LLC.



Contractor Grade Rubber Tracks

Contractor grade rubber tracks, give you the Power & Traction you need, with the "Velvet Touch" of Rubber! Tracks are made with a continuous steel core band, and forged steel metal bars inside. Measures: 7" Wide x 72mm Pitch x 35 Links.



Hydraulic Attachment Control & Work Glove Storage Area

Hydraulic power system allows you to effortlessly operate your front and rear hydraulic attachments with only finger-tip pressure! Includes: attachment valve with cover, hydraulic oil tank with glove/phone storage area, breather cap, hydraulic filter, and a 3.3GPM attachment pump!

3.3 GPM

CU50 Convenience Upgrade

Make your MAGNATRAC® the best it can be! Includes: large, bright LED headlight, strong and comfortable arm rests, engine oil drain hose, and a Hour & Tach Meter.



CI40 Center Idler Upgrade

This center idler system upgrade is the utmost in track stability & guidance. Includes: idler frames, (2) 4" idlers per side with replaceable oillite bushings, and greasable axles with submerged grease fittings.



ON THE OUTSIDE

A Operate your attachments with only finger-tip control! Standard three bank attachment control valve, allows you to operate your front and rear hydraulic attachments easily. Attachment valve with 2 floats (F,S,F), is available as part of the **FVS20 Float Valve Upgrade**.


B Comfortable seat with forward and reverse adjustment bolts. Rotatable seat with post, comes with a backhoe purchase. Fabricated arm rest, and hour/tach meter are available as part of the **CU50 Convenience Upgrade**.

C Lockable battery box with cupholder, protects your 12V battery and allows easy access for maintenance or removal. Battery has bracket to secure it to the inside of box. (Not shown).

D Turn on a dime! Comfortable track drive ball handles, are ergonomically designed and connect to a threaded machined shaft. No shifting gears! Easily control the speed vs. power ratio, by how far you push the drive handles forward or rearward.

E Strong hood with grab bar, is easily rotated upward by loosening 2 threaded knobs & pulling upward. Hood vents allow engine heat to dissipate from the hood and grill area easily.

F Keep the fun (work) going anytime of the day or night! LED lightbar allows you to work deep into the evenings or those early mornings. **See CU50 Upgrade**.



The RT1150 above, is shown with the CI40 Center Idler Upgrade & the CU50 Convenience Upgrade.

G Attachment hydraulic tank is easily accessible. Comes with top mounted, screw on breather cap and has a small storage area. Storage area is perfect for storing work gloves or a cell phone!

H Hydraulic filter and drain are easily accessed on the back right of the hydraulic tank.

I Sturdy fenders and non-slip foot pads, assure a safe entry and exit of the machine.

J A set of “contractor grade” rubber tracks are standard. Tracks have a molded grouser for superior traction.

K A simple adjustment bolt on either side, and a 3/4” thick front idler allow for quick and easy track tensioning.

L Durable, commercial grade 1-1/8” axles allow for heavy loads, and are coupled to a hardened sprocket hub for an extra layer of wearability.

M Designed for hundreds of hours of worry free operation, the 3/4” rear drive sprockets are made of AR200 pre-hardened steel.

**For Specs, Attachment Information, and Pricing,
Check out the RT1150 Buyer’s Guide & Sale Price List.**